Fábrica - Análisis de Código Fuente -SonarLint®: Generar Análisis Local

- Abrir el IDE
- Seleccionar el workspace del proyecto que se analizará
- Click derecho sobre la raíz del proyecto que se analizará.
- Si desea realizar un análisis completo del proyecto debe Seleccionar en el menu SonarLint la opción Analize

workspace-ada - Spring Ti	sal Suite 4			
Edit Navigate Search	Project Run Window Help			
• 🖂 🖓 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	■ M D. O. LE = X ● \$	-0-4-=	• • • • (8 • 1 8) • 6	* \$P\$ \$P\$ # \$P\$ # \$P\$
Debug 👌 Project Explore	r 🗄 🛎 Servers 👘 🗆			
 adamipago api-payment frameworkpago 	e \$ 7 I			
E scofws (boot) (devide	New Go Into	>		
	Show In Show in Local Terminal	Alt+Shift+W>		
	Copy Coalified Name Copy Qualified Name Paste Loterte Build Path Refactor	Ctrl+C Ctrl+V Delete > Alt+Shift+T >		
	in Import			
	 Refresh Close Project Close Unnelated Projects 	P5		
	Run As Debug As Profile As Restore from Local History Maven Team Compare With Configure Source	> > > > > > > > > > > > > > > > > > > >		
	SonarLint	>	Analyze changed files	Qual
	 Spring Thymeleaf Validate 	>	Analyze Analyze Change binding M Unbind project	
	Descertion	AltaEnter		

• Aparece un cuadro de dialogo de confirmación



• Si solo desea analizar los archivos modificados debe Seleccionar en el menu **SonarLint** la opción **Analize changed files**

Last update: 2021/11/21 2021/11/21 22:08



- Se realizará el análisis según la opción seleccionada
- Al finalizar se visualiza el reporte con el resultado

ilter matched 100 of 209 items				
Resource	Date	Description		
AfectacionSicofRestController.iava	2 years ago	O Replace the type specification in this constructor call with the diamond operator ("<>").		
AfectacionSicofRestController,java 2 years ago		O Replace the type specification in this constructor call with the diamond operator ("<>").		
AfectacionSicofRestController.java	2 years ago	A Not enough arguments.		
AfectacionSicofRestController.java	2 years ago	G Add a nested comment explaining why this method is empty, throw an UnsupportedOperationException or comp		
AutenticacionWSJava	3 months ago	C Remove this unused import 'org.springframework.stereotype.Component'.		
AutenticacionWSRepositorvjava	3 months ago	C Remove this unused import javax.persistence.EntityManager'.		
AutenticacionWSRepositorvjava	3 months ago	C Remove this unused import javax.persistence.PersistenceContext/		
Bancojava	2 years ago	O Add a nested comment explaining why this method is empty, throw an UnsupportedOperationException or comp		
BaseAfectacionSicofjava	2 years ago	O Add a nested comment explaining why this method is empty, throw an UnsupportedOperationException or comp		
Cabecerajava	2 years ago	C Remove this unused import java time.LocalDate'.		
Comercial.java	2 years ago	Constructor has 8 parameters, which is greater than 7 authorized.		
Comercial.java	2 years ago	Contract of commented-out lines of code should be removed.		
Comercial java	2 years ago	Contract Remove the non-escaped \u0009 character from this literal.		
Comercial.java	2 years ago	Q Remove the non-escaped \u0009 character from this literal.		
ComercialRepository.java	2 years ago	C C This block of commented-out lines of code should be removed.		
Conceptojava	2 years ago	O Remove this unused import 'org.aspectj.lang.annotation.AfterReturning'.		
ConectionJDBCjava	few seconds ago	O Directly append the argument of String.valueOf().		
ConectionJDBCjava	few seconds ago	O Extract this nested try block into a separate method. [+1 location]		
ConectionJDBCjava	few seconds ago	Or A method has 12 parameters, which is greater than 7 authorized.		
ConectionIDBCjava	few seconds ago	Contract Replace this use of System.out or System.err by a logger.		
ConectionJDBCjava	few seconds ago	① Use try-with-resources or close this "Connection" in a "finally" clause.		
ConectionJDBCjava	few seconds ago	R 0 Use try-with-resources or close this "Statement" in a "finally" clause.		
ConectionJDBCjava	3 months ago	C Remove this empty statement.		
ConectionJDBCjava	3 months ago	O Extract this nested try block into a separate method. [+1 location]		
ConectionJD@Cjava	3 months ago	@ Replace this use of System.out or System.err by a logger.		
ConectionJDBCjava	3 months ago	Optime a constant instead of duplicating this literal "Error en la conexión de la base de datos" 4 times. [+4 location]		
ConectionJDBCjava	3 months ago	① Use try-with-resources or close this "Connection" in a "finally" clause.		
ConectionJDBCjava	3 months ago	ROUse try-with-resources or close this "Statement" in a "finally" clause.		
ConectionJDBCjava	3 months ago	Extract this nested try block into a separate method. [+1 location]		
ConectionJDBCjava	3 months ago	Replace this use of System.out or System.err by a logger.		
ConectionJD@Cjava	3 months ago	It I use try-with-resources or close this "Connection" in a "finally" clause.		
ConectionJDBC.java	3 months ago	n O Use try-with-resources or close this "Statement" in a "finally" clause.		
ConectionID@Cjava	3 months ago	Extract this nested try block into a separate method. [+1 location]		
ConectionJD@Cjava	3 months ago	S Method has 10 parameters, which is greater than 7 authorized.		
ConectionJDBCjava	3 months ago	Replace this use of System.out or System.err by a logger.		
ConectionJDBCjava	3 months ago	In O Use try-with-resources or close this "Connection" in a "finally" clause.		
ConectionJDBCjava	3 months ago	It I use try-with-resources or close this "Statement" in a "finally" clause.		
Paratasian de anti-acception incom	3	🗥 🔿 This letter's an example and intelligence of eacher during the property of the thread and		

←Volver atras

From:

http://wiki.adacsc.co/ - Wiki

Permanent link: http://wiki.adacsc.co/doku.php?id=ada:howto:sicoferp:factory:sourcecodeanalyzer:sonarlint:analyse

Last update: 2021/11/21 22:08

